



Serving Sutter and Yuba Counties

938 14th Street
Marysville, CA 95901
(530) 634-7659
FAX (530) 634-7660
www.fraqmd.org

David A. Valler, Jr.
Air Pollution Control Officer

Public Notice of Boiler Rule (Rule 3.21) Adoption

PLEASE TAKE NOTICE that the Feather River Air Quality Management District ("District") will conduct a public hearing on **Monday, June 5, 2006 at 4:00 p.m.** in the Yuba County Government Center, Conference Room #1 located at 915 8th Street, Marysville, CA. The purpose of the hearing is to consider the adoption of **District Rule 3.21 Industrial, Institutional and Commercial Boilers, Steam Generators and Process Heaters.**

PLEASE TAKE FURTHER NOTICE that a Public Workshop will be held to discuss the proposed regulation on **Thursday, April 20, 2006 at 3:00 p.m.** in the Yuba County Government Center, Conference Room #1 located at 915 8th Street, Marysville, CA.

The purpose of proposed **District Regulation III, Rule 3.21 Industrial, Institutional and Commercial Boilers, Steam Generators and Process Heater** is to limit emissions of Nitric Oxide (NO) and Nitrogen Dioxide (NO₂), also known as NO_x, from boilers, steam generators, and process heaters by optimizing the efficiencies of the units and if required, requiring control technology to limit NO_x emissions.

The analysis for the proposed Rule, as required by California Health & Safety Code section 40727.2, a copy of the staff report, the proposed Regulation, and all supporting documentation is available upon request from David A. Valler, Jr., APCO, 938 14th Street, Marysville, CA (530)634-7659.

By this notice, the public is also invited to comment in writing on the proposed Regulation. **All comments must be addressed to David A. Valler, Jr., APCO, 938 14th Street, Marysville, CA 95901- 4149, and must be received no later than 5:00 p.m. on May 22, 2006.** For more information, contact the District at (530) 634-7659 or on the internet at <http://www.fraqmd.org>.